

Homework 7: Routing and raw sockets

Due by 11:59pm on April 19, 2023

1. WRITTEN PROBLEMS (5 POINTS)

PROBLEM 1. Consider the network graph shown in Figure 1. Use Dijkstra's algorithm to compute the shortest path from node  $u$  to every other node in the network. Show your computation using a table as was done in class. Your table should show:

Step    $N'$     $D(s), P(s)$     $D(t), P(t)$     $D(v), P(v)$  ...  $D(z), P(z)$




FIGURE 1. Network graph.

PROBLEM 2.

- a: Briefly explain the count-to-infinity problem and why it can occur in distance vector routing.
- b: Does the count-to-infinity problem occur when link costs decrease? Why or why not?
- c: Does the count-to-infinity problem occur when two nodes are connected that did not previously have a link?
- d: How does poisoned reverse address the count-to-infinity problem?
- e: Describe a scenario where poisoned reverse does not address the count-to-infinity problem.

PROBLEM 3. Assume a distance-vector routing algorithm is used in a network of 60 nodes. If costs are recorded as 8-bit numbers and cost vectors are exchanged twice a second, how much capacity per (full-duplex) link is used by the distributed routing algorithm? Assume that each node has three links to other nodes.

## 2. CODING AND HANDS-ON PROBLEMS (25 POINTS)

PROBLEM 4. The goal of this problem is to give you experience working with raw sockets and creating IP and ICMP headers. You will implement a simplified version of traceroute, bootstrapping from python code you have been given. Time-to-live values will be set as described below, and the responses (if any), processed.

**Part 0: Set up Linux virtual machine and get started.** Some operating systems, such as Mac OS X do not always work with raw sockets in the way that would be expected. Consequently, unless you have access to a Linux system already, you will need to set up a Linux Virtual Machine (VM) in order to test your code. As an added benefit, if you've never set up a virtual machine before, this will show you how to do it, and give you the flexibility of using Linux rather than your own operating system. **If you are unfamiliar with Linux, or have trouble setting up the VM, please come see me, the earlier the better, and I can help you.**

- (1) Download and install the most recent version of VirtualBox. VirtualBox is virtualization software that runs on your computer and permits you to run a virtual computer on your computer, in your case, a computer running Linux rather than Windows. You should read the beginning of Chapter 1 (First Steps) before continuing.

<https://www.virtualbox.org/wiki/Downloads>


- (2) Download a linux iso. Go to <http://releases.ubuntu.com/16.04/> and download this version: `ubuntu-16.04.4-desktop-amd64.iso`
- (3) Setup up a VM using instructions from here: <https://www.virtualbox.org/manual/ch01.html>. Choose the following options.

Type: Linux  
Version: Ubuntu (64-bit)  
Memory size: 1024 MB  
Create a virtual hard disk now: create  
VDI (VirtualBox Disk Image)  
Statically allocated  
File location and size: 20 GB

- (4) Install guest additions, see instructions here: <https://www.virtualbox.org/manual/ch04.html>. This will allow you to resize the virtualbox window, copy paste from your machine to the desktop, and have a shared folder with your computer.

**IP header.** Recall that RFC 791 on the Internet Protocol (<https://tools.ietf.org/html/rfc791>), lays out the following structure for the IP header, where each row represents 32 bits. You will need to create your IP header according to this format, and combine the IP header and ICMP header to get ICMP packet to send over the raw socket. You should use Wireshark to check that your final

ICMP packet is correctly formatted (after sending it), containing the values you put in the header fields.



When creating your IP header, you can assume no Options field is needed, and hence neither the Options, nor the Padding fields need be used. Thus your header will comprise 20 bytes. Some of the header fields will need to be initialized based on what the user wishes: these field values are already being initialized in `icmp_traceroute.py`, with the option of passing them in by the command-line. Look at the code to see what these values are. Note that for now you may put a zero in the checksum header field. You should set the source address to the IP address of your machine or Linux VM (find this using the `ifconfig` command).

**Raw sockets.** The necessary infrastructure to send and receive packets over raw sockets has already been set up for you, and should not need to be changed. If you'd like to understand more about raw sockets, please see [http://sock-raw.org/papers/sock\\_raw](http://sock-raw.org/papers/sock_raw).

**Part 2: Receive and Parse ICMP TTL Expired or Echo Reply packet.** The code you have been given has already been setup to receive packets over raw sockets. You should use Wireshark to check that you receive a reply to your ICMP packet is correctly formatted. What you need to do is to take what is received from the raw socket and use `struct.unpack` to unpack the fields, first the fields in the IP header, and then the fields in the ICMP header. The header field values are used in Part 3.

Note that if your IP packet does not contain your correct IP address, you will not get a response back. You can either manually enter your IP address (after checking for it with `ifconfig`). Or you can use the following in your code, after a socket has been created:

```
src_ip = send_sock.getsockname()[0]
```

**Part 3: Compute and Print Traceroute Information.** You should add timing code to record the time from sending an echo request to receiving an echo response. Format your program output

```
tracert to 8.8.8.8, 64 hops max
 1 172.20.10.1 10 ms
 2 10.167.45.49 67 ms
 3 10.170.230.222 32 ms
 4 10.170.230.227 39 ms
 5 10.164.72.196 43 ms
 6 10.164.165.75 45 ms
 7 72.14.202.90 38 ms
 8 108.170.248.33 50 ms
 9 209.85.245.193 41 ms
10 8.8.8.8 40 ms
```

---

FIGURE 2. Example output for traceroute client.

*in a similar way to what the real traceroute program produces, with one line per TTL value, although you will only need to send one echo request per TTL. For example, see the output in Figure 2.*

**Part 4: Checksum.** *If you put 0 in the checksum field rather than actually computing the correct checksum value, some routers or servers may not respond back to your ICMP packet because your checksum is incorrect. Thus, our goal now is to correctly set the checksum. The value in the checksum field should be the one's complement sum of all 16-bit blocks in the header. For purposes of computing the checksum, the value of the checksum field is zero. Thus, to correctly set the checksum, perform the following steps. First, assume the value of the checksum field is zero. Then, divide the header into 16 bit blocks and sum them together. Because the sum might overflow beyond 16 bits, you'll want to add any carry bits back to the sum. Then take the 1s complement of this sum. Some issues you may run into is that your result is more than 16 bits or that your result is not in network byte order. More information on computing checksums at the following links (note that both the IP and the ICMP checksums are computed the same way).*

<http://www.faqs.org/rfcs/rfc1071.html>  
[https://en.wikipedia.org/wiki/IPv4\\_header\\_checksum](https://en.wikipedia.org/wiki/IPv4_header_checksum)

*You may also find this reference on bit operations in python helpful.*

<https://wiki.python.org/moin/BitManipulation>

I recommend writing out pseudocode for what you need to do, then adding comments for the pieces to fill in. That way, if something isn't working or you don't have time to finish something, I can see what you were trying to do and possibly give you partial credit.

### 3. SUBMISSION

Submit your written work as `hw7.pdf` and your `*.py` files to the Google Drive directory I have created for you named `comp332-s23-USERNAME/hw7/`. You should replace `USERNAME` with your Wesleyan username.

Do not forget that your written work must be submitted as a PDF! And make sure that at the top of each file you have put your name! Do not, however, change the names of the files.