

Lecture 1: Introduction

COMP 332, Spring 2024

Victoria Manfredi

W E S L E Y A N
U N I V E R S I T Y



Acknowledgements: materials adapted from Computer Networking: A Top Down Approach 7th edition: ©1996-2016, J.F Kurose and K.W. Ross, All Rights Reserved as well as from slides by Abraham Matta at Boston University and some material from Computer Networks by Tannenbaum and Wetherall.

Today

1. Announcements

- Homework 1 posted, due Wed., Jan 31 by 11:59p
- Help sessions: Sun/Mon/Tu, 7-9p in Exley 638. Also virtually

2. Administrivia

3. Computer networks

- overview

4. Building a network

- how to connect devices
- how to connect processes on devices
- how to share resources

Administrivia

Course webpage

Everything posted here

- <http://vumanfredi.wescreates.wesleyan.edu/teaching/comp332-s24/>

Google classroom for announcements, discussion, grades

- I will add you via email

Grade breakdown

- 40%: 2 exams
- 60%: 10 homework assignments, no scores dropped
 - mix of written and (multi-assignment) programming projects

Late days

- 4 free days, use at most 2 for any assignment
- Once used, you will lose 15% of grade for each 24 hours late

Getting started

Python3

- we'll review as needed, see class resources webpage
 - please check you have python3 **installed!**
 - type python3 at terminal prompt
 - **tutorials** and other resources posted on course website

Python help available

- at SCIC on 1st floor of Exley

vim and python

- create a .vimrc file in your home directory
- put lines in block in .vimrc and save it
- open new terminal and use vim
 - should see color, line numbers, etc.

```
syntax on
filetype indent plugin on
set modeline
set number
autocmd BufWritePre * %s/\s\+$/\s/
au BufNewFile,BufRead *.py
\ set tabstop=4
\ set softtabstop=4
\ set shiftwidth=4
\ set textwidth=79
\ set expandtab
\ set autoindent
\ set fileformat=unix
```

Homework

1st homework out

- warm-up homework: implement tic-tac-toe in python
- 2nd homework is to implement distributed tic-tac-toe using sockets

We'll use Google drive for homework submissions

- Each of you will have directory for this course, with homework subdirectories

Important!

- put your name **inside** every file!
- file formats: only **.py**, **pdf**, **.txt** so my printing script works
 - if I can't print it, I can't grade it :-)
- filename should match what is specified

Looking forward

1st few weeks

- high-level overview of components of network
- familiarity with terminology
- covers a lot of material!

Rest of course

- digging into details of what we talked about in 1st few weeks
- will talk about each layer and component in much greater depth
- having had high-level should help give context for details


If you have questions or concerns please come talk to me

Computer Networks

OVERVIEW

What's a computer network?

2 or more **computing devices** able to exchange data



**Necessary network
functionality**

1. Specify remote machine
2. Connect to it (possibly some handshaking)
3. Transfer data
4. Close connection

More on processes

Process: program in execution

- your machine has many processes running on it

“top” command (or type “ps auxwww” in terminal)

```
Processes: 533 total, 3 running, 530 sleeping, 4091 threads 11:45:39
Load Avg: 1.57, 1.96, 2.44 CPU usage: 14.31% user, 14.31% sys, 71.36% idle
SharedLibs: 196M resident, 46M data, 17M linkedit.
MemRegions: 256976 total, 5317M resident, 135M private, 2227M shared.
PhysMem: 15G used (3423M wired), 1203M unused.
VM: 2492G vsize, 627M framework vsize, 52872168(189) swapins, 55781927(0) swapouts.
Networks: packets: 32240950/23G in, 20824902/2706M out.
Disks: 9478634/359G read, 3501804/297G written.
```

PID	COMMAND	%CPU	TIME	#TH	#WQ	#PORT	MEM	PURG	CMPRS	PGRP	PPID
65817	screen captur	0.0	00:00.19	6	4	173	10M	444K	0B	65817	1
65816	screen captur	9.7	00:00.36	3	2	58	2548K	20K	0B	432	432
65814	top	8.8	00:01.98	1/1	0	22	4848K	0B	0B	65814	65807

Killing processes

Use “ps” to get process id

- type `ps auxwww | grep NAME`

Use “kill” to terminate process

- `kill processid`
- `kill -9 processid` // nuclear option: don't let process clean up

```
> python3 tictactoe_full.py
```

```
=====
| TicTacToe Game |
=====
```

```
Enter number of rows in TicTacToe board: Terminated: 15
```

```
> ps auxwww | grep python | grep tictactoe
```

```
vmanfredi 12060 0.0 0.0 2419260 7004 s006 S+ 10:51AM 0:0
0.04 /usr/local/Cellar/python/3.7.0/Frameworks/Python.framework/Versions/3
.7/Resources/Python.app/Contents/MacOS/Python tictactoe_full.py
```

```
vmanfredi@ ~ ($) $
```

```
> kill 12060
```

Distributed system vs. computer network

Distributed system

- software system built on top of computer network

Example

- World Wide Web is built on top of Internet


Distributed system


Computer network

Why build a computer network?

User view

– sharing resources

- hardware: printers, compute servers, cloud computing
- software: word, Matlab
- data: customer records, inventory, financials, p2p file sharing
- information: web-browsing, Wikipedia, search

– communication

- email, text, voIP, screen share, video conference, social network

– electronic commerce

- online shopping, banking, business

– entertainment

- multi-user network games, video streaming

Why build a computer network?

Programmer view

- to support distributed applications
 - e.g., web, ftp, ...
- most functionality is in software
 - many applications, easy to create
- general-purpose, increasingly faster computers
 - can manage many processes
- new functionality easily added ``inside" network
 - e.g., Content Distribution Network


Why should you care?

Networks of processes are ubiquitous


- to support a myriad of distributed applications

Networks are getting larger and more complex

- need experts in leveraging & managing them



Number of hosts on Internet



By Kopiersperre (Own work) [CC BY-SA 3.0
(<http://creativecommons.org/licenses/by-sa/3.0>) or GFDL
(<http://www.gnu.org/copyleft/fdl.html>)], via Wikimedia Commons

Many “networking” firsts originated not too far away

First optical (light) “one-if-by-land-and-two-if-by-sea” signals

- used to signal that the British are coming in 1775

First telegraph (Morse code)

- used by Boston Fire Alarm Telegraph System for reporting fires in 1852



Paul Revere

First transatlantic radio message

- from Nova Scotia to England in 1902



Guglielmo Marconi

First switches and email message

- at BBN in 1967-1972

How to build a computer network?

1. Need way to connect devices
2. Need way to connect processes on devices
3. Need way to share-resources efficiently

We'll overview general networks today. But in future our focus will primarily be Internet

Building a Network

HOW TO CONNECT DEVICES

Building blocks

Nodes: laptop, server, router, switch, cell phone, UAV, IoT devices, ...

Links: copper wire, coaxial cable, optical fiber, radio, ...

Telephone lines

Ethernet, up to 10 Gbps



Cable TV infrastructure

Shared/broadcast medium, more people using simultaneously, less bandwidth each gets



10's of Mbps

Glass fiber carrying light pulses (bits)

Forms Internet core: carries lots of traffic. Low bit error rate since unaffected by electromagnetic noise



up to 100s of Gbps

Kbps = 10^3 bits per second
Mbps = 10^6 bits per second


 **Wired link media**

Building blocks

Nodes: laptop, server, router, switch, cell phone, UAV, IoT device...

Links: copper wire, coaxial cable, optical fiber, radio, ➡ **Wireless**

Signal carried in electromagnetic spectrum } Shared, typically broadcast, medium




Connecting devices with direct links

Point-to-point



E.g., dial-up, Digital Subscriber Line (DSL)

Multiple access



LAN environment


Need MAC (Medium Access Control) protocol

to control access to shared medium. E.g., shared Ethernet, Hybrid Fiber Coaxial (HFC) upstream channel, wireless

Connecting devices with switches and routers


Indirect connectivity

- switched network



Internetwork

- routers: connect networks



A network can be defined recursively

- 2 or more devices connected by a physical link
- 2 or more networks connected by 2 or more devices

How do devices identify and find each other?

Addressing

- address is byte-string that identifies device; usually unique

Routing

- algorithm determining how routers forward messages toward destination device based on address

Types of addresses

- **unicast**: device-specific
- **broadcast**: all devices on network
- **multicast**: some subset of device on network

Internet addresses example

Every device on Internet has Internet Protocol (IP) address


- string of #s interpretable by computer
- assigned when host joins network connected to Internet



129.133.176.1

Some IP addresses are associated with a domain name

- use equivalent of phone book to do mapping




Building a Network

**HOW TO CONNECT
PROCESSES ON DEVICES**

Processes, not devices, are communicating

How do processes running on different devices communicate?



Packet

- sequence of bits
- 0101111010100000110...

Header Data

Bit

- what propagates over links between src/dest

Typical goals for communication channels

Reliable

- no loss, no errors, no duplication, in-order
- for file access and digital libraries

Secure

- privacy, authentication, message integrity

Delay-bounded

- for real-time voice and video

What goes wrong in network?

All sorts of things ...

- bit-level errors (electrical interference)
- packet-level errors (bit errors, congestion)
- link and node failures
- packets are delayed
- packets are delivered out-of-order
- third parties eavesdrop


Communication channel must work even if things go wrong

- key problem
 - fill in gap between what applications expect and what underlying technology provides


Quantifying channel performance

Bit Rate (aka throughput aka capacity)

- amount of data that can be transmitted per unit time
 - link versus end-to-end
- measurement units
 - Kbps = 10^3 bits per second
 - Mbps = 10^6 bits per second
 - Gbps = 10^9 bits per second



1Mbps
(each bit 1 microseconds wide)



2 Mbps
(each bit 0.5 microseconds wide)

Quantifying channel performance

Delay

- **time to send packet** from host A to host B
 - example: 24 milliseconds (ms)
 - sometimes interested in round-trip time (RTT)
 - include time to get reply back from host B
- components
 - **Total Delay** = **Processing** + **Propagation** + **Transmission** + **Queue**
 - **Propagation** Delay = Distance / SpeedOfLight
 - **Transmission** Delay = Packet length / Bit Rate
- speed of light
 - 3.0×10^8 meters/second in a vacuum
 - 2.3×10^8 meters/second in a cable
 - 2.0×10^8 meters/second in a fiber

Building a Network

HOW TO SHARE RESOURCES


Sharing network resources

Devices and links

- must be shared (**multiplexed**) among multiple users

Common Multiplexing Strategies

- **Frequency-Division Multiplexing (FDM)**: pre-assign frequencies
- **Time-Division Multiplexing (TDM)**: pre-assign time slots



Multiplexing strategy used on Internet

Statistical Multiplexing

- time-division, but **on demand** rather than fixed (no waste)
 - reschedule link on per-packet basis
 - packets from different sources interleaved on link
- buffer overflow causing **packet drops** (loss), is called **congestion**

